

Radio Frequency Controlled, 300W, 240 VAC, Plug-In Lamp Module (EURO FR)



Button functions

- 1. Adds module under the command of Wireless Controller.
- 2. Local ON and OFF (push and release).
- 3. Local dimming (push and hold).

ZDP230 PLUG-IN LAMP MODULE

The ZDP230 plug-in Lamp Module is a component of the HomePro lighting control system. Plug the Lamp Module into a wall outlet and plug a lamp into the Lamp Module. Inclusion of the Lamp Module on the ZTH200 Wireless Controller menu allows remote ON/OFF control and dimming of lamps connected.

This plug-in Lamp Module is designed to work with other HomePro lamp and appliance controls. Z-Wave nodes of other types can be added to the system and will also act as repeaters if they support this function of repeating the signal received to other modules in the system.

As part of a HomePro network, the ZDP230 can act as a wireless repeater to insure that commands intended for another device in the network are received. This is useful when the device would otherwise be out of the radio range of the wireless controller.

There are no field repairable assemblies on this unit. If service is needed, the unit must be returned where purchased.

INSTALLATION

Plug this Lamp Module into the wall outlet near the lamp to be controlled, and plug the lamp into the Lamp Module. See the ZTH200 Wireless Controller operating instructions to add this module under the command of the Wireless Controller. Make sure the lamp(s) to be controlled total no more than 300 watts. WARNING: Plugging a non-resistive load such as florescent lighting or a device with a motor may result in damage to the Lamp Module and will void the warranty.

Lamp Module Button

The Lamp Module has a button on the face (see picture above) that switches an attached lamp ON and OFF, and adjusts its dimming level by holding it down, and it is also used to configure the module to operate from the wireless controller. With the Wireless Controller, the Lamp Module can be switched ON and OFF, and can be included in groups of lights (a group can also be a single module) that operate at the same time, and in scenes that set a lighting mood.

Switch power ON and OFF locally

When the button is pressed and released quickly, the power will toggle. This means that power will be turned OFF if it was ON and turned ON if it was OFF. When switching the Lamp Module ON or OFF, the light will dim UP (or DOWN) in approximately 2 seconds until the final level is reached.

Dimming

To adjust the dim level, press and hold down the button until the desired dim level is achieved, then release. When the dimming level reaches **full bright or full dim**, no further change will take place until the button has been

When the dimming level reaches **full bright or full dim**, no further change will take place until the button has been released and is pressed again, in which case the dimming will change direction.

Child Protection

The Lamp Module can be set in a child protect mode by the Wireless Controller. When this mode is active, a user will have to press the button on the Lamp Module 3 times rapidly to activate the attached load. The module operates normally when controlled by the Wireless Controller..

Other functions

The button on the Lamp Module also plays a role as a reset in addition to adding module to groups and scenes. This is described in more detail in the Wireless Controller instructions.

Software fuse

This Lamp Module is designed to protect itself against loads that exceed it's maximum power rating. The application of a load that exceeds that rating is quickly sensed by the dimmer and it responds by immediately shutting off all power to that load.

If the dimmer doesn't seem to work, or if it only works momentarily, check to see that the total lamp wattage doesn't exceed the 300W rating of the Lamp Module. If a properly sized load is restored to the dimmer, it can be operated normally once again.

Over-current protection

The Lamp Module hardware has an over current detection circuit, which is final protection against overload.

If the software fuse should fail to shut down the dimmer when overloaded, backup protection is provided by an internal fuse. This fuse is not user serviceable. Check your home circuit breakers before concluding that the product must be returned to manufacturer for repair at a nominal charge.

WARRANTY

For warranty and general product information visit our web site at www.act-solutions.com

Power 230 VAC, 50 Hz Signal (Frequency) 868.42 MHz

Maximum Load 300 Watts (for incandescent lamps only)

Range Up to 30 meters, line of sight, between the Wireless Controller and /or the

closest HomePro plug-In Lamp Module or Appliance Module

Plug/Receptacle BS1363 Style